



CSI Controls®

PRODUCT PRICE BOOK

Pricing Effective May 28, 2025



We've Got Panels Under Control

www.csicontrols.com



ORDERING INFORMATION

About this Price Booklet...

This Suggested List Price Booklet is a consolidation of CSI Controls' standard panels, alarms, and accessories. This price booklet corresponds to products from multiple product catalogs. If you have questions, please contact your Distributor, a CSI Sales Representative or the factory at 888-342-5753. Possession of this booklet or other CSI Controls product catalogs does not constitute an offer to sell. To be qualified as a Factory Direct customer, please contact a CSI Sales Representative or the factory. Prices, specifications, product offerings and policies are subject to change without notice.

Placing an Order

For Factory Direct Accounts, to assist us in delivering the exact product you want, please order by the seven digit part number or panel model number. If you do not find the product you are looking for in our catalog, please contact your Customer Service Representative at 888-342-5753. CSI Controls also manufactures custom control panels. To order, contact your Customer Service Representative toll free at 888-342-5753 or via email at customer.service@sjeinc.com.

Example

PowerZone™ Single Phase Duplex, 115V, Motor and Control Circuit Breakers with 20 Foot Mechanical Floats and Pedestal:

PZDF115CB-FC20-PED = \$1,095.92 + \$138.02 + \$127.72 = \$1,361.66 List

Order Shipping

Standard catalog products, depending on volume and options, are shipped within five (5) business days from receipt of order. CSI ships in-stock items same day when requested. Control panels ordered with multiple options and orders exceeding \$5000.00 may require up to ten (10) business days to ship. Large stocking control panel orders may require additional lead time of more than ten (10) business days. Next Day Air, Second Day Air and Three Day UPS Ground services are available to expedite orders. To receive these services, you must place your order before 1:00 p.m. Eastern Time.

Product Return

Returned Materials Authorization (RMA) numbers must be assigned to products being returned for warranty claim. Control panel models including PowerZone Series, Fusion Series, RK Series, and "Fusion" Plus Series; panels including any "non-catalog" options; obsolete panels; and panels more than one (1) year from date of manufacture cannot be returned for any reason. Contact your customer service representative for instructions on returning a product for warranty.

Warranty

CSI Controls offers a five-year limited warranty on most products. However, some product warranties may vary. For complete terms and conditions, please visit www.csicontrols.com.

Prop 65

For all products in this book: **California Prop 65 requires the following:**  **WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

PRICING SUBJECT TO CHANGE WITHOUT NOTICE.

TABLE OF CONTENTS

CONTROL PANELS

RK Series™ Single Phase Simplex.....	1
RK Series™ Single Phase Simplex 4-20mA	2
RK Series™ Single Phase Duplex.....	3
RK Series™ Single Phase Duplex 4-20mA	4
RK Series™ Three Phase Simplex.....	5
RK Series™ Three Phase Simplex 4-20mA	6
RK Series™ Three Phase Duplex.....	7
RK Series™ Three Phase Duplex 4-20mA	8
RK Series™ Single Phase Simplex Cap. Start/Run	9
RK Series™ Single Phase Simplex Cap. Start/Run 4-20mA...	10
RK Series™ Single Phase Duplex Cap. Start/Run	11
RK Series™ Single Phase Duplex Cap. Start/Run 4-20mA.....	12
 RK Series™ Displays	 13
 Fusion™ Economy.....	 13
Fusion™ Single Phase Simplex Float Panel.....	14
Fusion™ Single Phase Duplex Float Panel.....	15
Fusion™ Three Phase Simplex Panel.....	16
Fusion™ Three Phase Duplex Panel.....	17
 Power Zone™ Single Phase Simplex Float Panel.....	 18
Power Zone™ Single Phase Duplex Float Panel.....	19
 PRO-Grade™ Single Phase Simplex/Duplex.....	 20
PRO-Grade™ Three Phase Simplex/Duplex.....	21
 Minuteman Level Alert™ Pedestal	 22
 H ₂ Oil Alarm™ System	 22
 VIP-331 Three Phase Duplex Panel	 22
VIP-XR Three Phase Duplex Panel.....	22
 WellZone® 2-Wire Pressure Controller.....	 23
WellZone® 3-Wire Pressure Controller.....	23
 SPF Series™ Simplex	 23
SPF Series™ Duplex	23
 SPF Series™ Grinder Simplex.....	 24

ALARM SYSTEMS

CSION® RF	24
CSION®	24
CSION® WiFi	24
CS1200	24
CS1000	24
CSION® 3R	25
CSION® 4X	25

PUMP SWITCHES

Medium Duty Wide Angle Mechanical	25
Heavy Duty Wide Angle Mechanical	26
Medium Duty Wide Angle Dual	26
High Temperature.....	26

CONTROL SWITCHES

Speed-E Connect™ 3 Port Float Connection System	27
Speed-E Connect™ 4 Port Float Connection System	27
Control Duty Narrow Angle Extra Large Mechanical	28
Control Duty Narrow Angle Mechanical	28
Control Duty Narrow Angle Low Current Mechanical.....	28

ACCESSORIES

Junction Boxes.....	29
CS4-20 Transmitter	29
Control Panel Accessories	29
Panel Mounting Post, SLX Transmitter, Cord Seals, 4-20 mA Simulator, Simplex Installation Kit, Duplex Installation Kit, Hub Assembly, Cable Connectors, and Riser Mounting Kit	
SLX Transmitter	30
Float Accessories.....	30
Cable Weight, Cable Clamp Assembly, Float Bracket, Elapsed Time Meter, Vertical Reed Switch	

CONTROL PANELS

**RK SERIES™ PANELS

Single phase, simplex demand dose or timed dose float controlled system for pump control and system monitoring.

**RK SERIES™ SINGLE PHASE SIMPLEX FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKSF115CB	0-12	NEMA 4X	115-1	Motor & Control	\$891.98
RKSF115ACB	0-12	NEMA 4X	115-1	Motor, Control & Alarm	\$918.76
RKSF230CB	0-12	NEMA 4X	230-1	Motor & Control	\$967.17
RKSF230ACB	0-12	NEMA 4X	230-1	Motor, Control & Alarm	\$993.95
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$115.36
DCTD	Time Dosing DDC				\$165.83
FC20	(3) 20 foot mechanical control switches / pipe clamp				\$104.03
FC20CW	(3) 20 foot mechanical control switches / cable weight				\$129.78
FR20	(3) 20 foot mercury control switches / pipe clamp				\$120.51
FR20CW	(3) 20 foot mercury control switches / cable weight				\$146.26
FC30	(3) 30 foot mechanical control switches / pipe clamp				\$123.60
FC30CW	(3) 30 foot mechanical control switches / cable weight				\$149.35
FR30	(3) 30 foot mercury control switches / pipe clamp				\$139.05
FR30CW	(3) 30 foot mercury control switches / cable weight				\$165.93
FC50	(3) 50 foot mechanical control switches / pipe clamp				\$181.28
FC50CW	(3) 50 foot mechanical control switches / cable weight				\$208.06
FR50	(3) 50 foot mercury control switches / pipe clamp				\$200.85
FR50CW	(3) 50 foot mercury control switches / cable weight				\$227.63
GR	Gray Enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$41.20
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$160.68
IBTD	Time Dosing DIB				\$261.62
LA	Lightning Arrestor				\$122.57
OL###	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$186.43
SF	Seal Failure Indicator Light				\$60.77
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

MODEL #	DESCRIPTION	LIST PRICE
1063793	RKSF230CB-HD1-X	\$1,054.72

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single Phase, Simplex 4-20mA Continuous Level Control System for Pump Control and System Monitoring

RK SERIES™ SINGLE PHASE SIMPLEX 4-20mA CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKST115CB	0-12	NEMA 4X	115-1	Motor & Control/Alarm	\$1,325.61
RKST115ACB	0-12	NEMA 4X	115-1	Motor, Control & Alarm	\$1,352.39
RKST230CB	0-12	NEMA 4X	230-1	Motor & Control/Alarm	\$1,398.74
RKST230ACB	0-12	NEMA 4X	230-1	Motor, Control & Alarm	\$1,425.52
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increases breakers and wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increases breakers and wire gauge to allow 18-24 FLA				\$41.20
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$186.43
SF	Seal Failure Indicator Lights				\$60.77
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

MODEL #	DESCRIPTION	LIST PRICE
1063795	RKST230CB-HD1-TC50-X	\$1,900.35

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single phase, duplex demand dose or timed dose float controlled system for pump control and system monitoring.

RK SERIES™ SINGLE PHASE DUPLEX FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDF115CB	0-12	NEMA 4X	115-1	Motor & Control	\$1,179.35
RKDF115ACB	0-12	NEMA 4X	115-1	Motor, Control & Alarm	\$1,211.28
RKDF230CB	0-12	NEMA 4X	230-1	Motor & Control	\$1,307.07
RKDF230ACB	0-12	NEMA 4X	230-1	Motor, Control & Alarm	\$1,339.00
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$216.30
DCTD	Time Dosing DDC				\$319.30
FC20	(4) 20 foot mechanical control switches / pipe clamp				\$138.02
FC20CW	(4) 20 foot mechanical control switches / cable weight				\$173.04
FR20	(4) 20 foot mercury control switches / pipe clamp				\$159.65
FR20CW	(4) 20 foot mercury control switches / cable weight				\$194.67
FC30	(4) 30 foot mechanical control switches / pipe clamp				\$164.80
FC30CW	(4) 30 foot mechanical control switches / cable weight				\$198.79
FR30	(4) 30 foot mercury control switches / pipe clamp				\$186.43
FR30CW	(4) 30 foot mercury control switches / cable weight				\$216.30
FC50	(4) 50 foot mechanical control switches / pipe clamp				\$242.05
FC50CW	(4) 50 foot mechanical control switches / cable weight				\$277.07
FR50	(4) 50 foot mercury control switches / pipe clamp				\$267.80
FR50CW	(4) 50 foot mercury control switches / cable weight				\$302.82
GR	Gray Enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$41.20
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$52.53
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$319.30
IBTD	Time Dosing DIB				\$510.88
LA	Lightning Arrestor				\$122.57
OL###	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$433.63
SF	Seal Failure Indicator Lights				\$121.54
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

MODEL #	DESCRIPTION	LIST PRICE
1063794	RKDF230CB-HD1-X	\$1,409.04

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single Phase, Duplex 4-20mA Continuous Level Control System for Pump Control and System Monitoring

RK SERIES™ SINGLE PHASE DUPLEX 4-20mA CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDT115CB	0-12	NEMA 4X	115-1	Motor & Control/Alarm	\$1,662.42
RKDT115ACB	0-12	NEMA 4X	115-1	Motor, Control & Alarm	\$1,694.35
RKDT230CB	0-12	NEMA 4X	230-1	Motor & Control/Alarm	\$1,786.02
RKDT230ACB	0-12	NEMA 4X	230-1	Motor, Control & Alarm	\$1,817.95
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increases breakers and wire gauge to allow 12-18 FLA				\$41.20
HD2	Heavy Duty 2: Increases breakers and wire gauge to allow 18-24 FLA				\$52.53
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$433.63
SF	Seal Failure Indicator Lights				\$121.54
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

MODEL #	DESCRIPTION	LIST PRICE
1063796	RKDT230CB-HD1-TC50-X	\$2,302.05

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Three phase, simplex demand dose or timed dose float controlled system for pump control and system monitoring.

**RK SERIES™ THREE PHASE SIMPLEX FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKSF463-001*	1.0-1.6	NEMA 4X	208/240/460-3	Motor	\$1,578.99
RKSF463-101*	1.6-2.5	NEMA 4X	208/240/460-3	Motor	\$1,578.99
RKSF463-201*	2.5-4.0	NEMA 4X	208/240/460-3	Motor	\$1,578.99
RKSF463-301*	4.0-6.3	NEMA 4X	208/240/460-3	Motor	\$1,578.99
RKSF463-401*	6.0-10.0	NEMA 4X	208/240/460-3	Motor	\$1,578.99
RKSF463-511*	9.0-14.0	NEMA 4X	208/240/460-3	Motor	\$1,639.76
RKSF463-611*	13.0-18.0	NEMA 4X	208/240/460-3	Motor	\$1,639.76
RKSF463-621*	17.0-23.0	NEMA 4X	208/240/460-3	Motor	\$1,654.18
RKSF463-701*	20.0-25.0	NEMA 4X	208/240/460-3	Motor	\$1,654.18
RKSF463-801*	24.0-32.0	NEMA 4X	208/240/460-3	Motor	\$1,654.18
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$115.36
DCTD	Time Dosing DDC				\$165.83
FC20	(3) 20 foot mechanical control switches / pipe clamp				\$104.03
FC20CW	(3) 20 foot mechanical control switches / cable weight				\$129.78
FR20	(3) 20 foot mercury control switches / pipe clamp				\$120.51
FR20CW	(3) 20 foot mercury control switches / cable weight				\$146.26
FC30	(3) 30 foot mechanical control switches / pipe clamp				\$123.60
FC30CW	(3) 30 foot mechanical control switches / cable weight				\$149.35
FR30	(3) 30 foot mercury control switches / pipe clamp				\$139.05
FR30CW	(3) 30 foot mercury control switches / cable weight				\$165.83
FC50	(3) 50 foot mechanical control switches / pipe clamp				\$181.28
FC50CW	(3) 50 foot mechanical control switches / cable weight				\$208.06
FR50	(3) 50 foot mercury control switches / pipe clamp				\$200.85
FR50CW	(3) 50 foot mercury control switches / cable weight				\$227.63
GR	Gray Enclosure (black enclosure is standard)				\$0
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$160.68
IBTD	Time Dosing DIB				\$261.62
LA	Lightning Arrestor				\$228.66
SF	Seal Failure Indicator Light				\$60.77
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

*3 phase 600 V option available. Please contact factory for details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Three Phase, Simplex 4-20mA Continuous Level Control System for Pump Control and System Monitoring

RK SERIES™ THREE PHASE SIMPLEX 4-20mA CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKST463-001	1.0-1.6	NEMA 4X	208/230/460-3	Motor	\$2,367.97
RKST463-101	1.6-2.5	NEMA 4X	208/230/460-3	Motor	\$2,367.97
RKST463-201	2.5-4.0	NEMA 4X	208/230/460-3	Motor	\$2,367.97
RKST463-301	4.0-6.3	NEMA 4X	208/230/460-3	Motor	\$2,367.97
RKST463-401	6.0-10.0	NEMA 4X	208/230/460-3	Motor	\$2,367.97
RKST463-511	9.0-14.0	NEMA 4X	208/230/460-3	Motor	\$2,428.74
RKST463-611	13.0-18.0	NEMA 4X	208/230/460-3	Motor	\$2,428.74
RKST463-621	17.0-23.0	NEMA 4X	208/230/460-3	Motor	\$2,443.16
RKST463-701	20.0-25.0	NEMA 4X	208/230/460-3	Motor	\$2,443.16
RKST463-801	24.0-32.0	NEMA 4X	208/230/460-3	Motor	\$2,443.16
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (black enclosure is standard)				\$0
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$228.66
SF	Seal Failure Indicator Light				\$60.77
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Three phase, duplex demand dose or timed dose float controlled system for pump control and system monitoring.

**RK SERIES™ THREE PHASE DUPLEX FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDF463-001*	1.0-1.6	NEMA 4X	208/240/460-3	Motor	\$2,056.91
RKDF463-101*	1.6-2.5	NEMA 4X	208/240/460-3	Motor	\$2,056.91
RKDF463-201*	2.5-4.0	NEMA 4X	208/240/460-3	Motor	\$2,056.91
RKDF463-301*	4.0-6.3	NEMA 4X	208/240/460-3	Motor	\$2,056.91
RKDF463-401*	6.0-10.0	NEMA 4X	208/240/460-3	Motor	\$2,056.91
RKDF463-511*	9.0-14.0	NEMA 4X	208/240/460-3	Motor	\$2,138.28
RKDF463-611*	13.0-18.0	NEMA 4X	208/240/460-3	Motor	\$2,138.28
RKDF463-621*	17.0-23.0	NEMA 4X	208/240/460-3	Motor	\$2,164.03
RKDF463-701*	20.0-25.0	NEMA 4X	208/240/460-3	Motor	\$2,164.03
RKDF463-801*	24.0-32.0	NEMA 4X	208/240/460-3	Motor	\$2,164.03
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$216.30
DCTD	Time Dosing DDC				\$319.30
FC20	(4) 20 foot mechanical control switches / pipe clamp				\$138.02
FC20CW	(4) 20 foot mechanical control switches / cable weight				\$173.04
FR20	(4) 20 foot mercury control switches / pipe clamp				\$159.65
FR20CW	(4) 20 foot mercury control switches / cable weight				\$194.67
FC30	(4) 30 foot mechanical control switches / pipe clamp				\$164.80
FC30CW	(4) 30 foot mechanical control switches / cable weight				\$198.79
FR30	(4) 30 foot mercury control switches / pipe clamp				\$186.43
FR30CW	(4) 30 foot mercury control switches / cable weight				\$216.30
FC50	(4) 50 foot mechanical control switches / pipe clamp				\$242.05
FC50CW	(4) 50 foot mechanical control switches / cable weight				\$277.07
FR50	(4) 50 foot mercury control switches / pipe clamp				\$267.80
FR50CW	(4) 50 foot mercury control switches / cable weight				\$302.82
GR	Gray Enclosure (black enclosure is standard)				\$0
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$319.30
IBTD	Time Dosing DIB				\$510.88
LA	Lightning Arrestor				\$228.66
SF	Seal Failure Indicator Lights				\$121.54
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

*3 phase 600 V option available. Please contact factory for details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Three Phase, Duplex 4-20mA Continuous Level Control System for Pump Control and System Monitoring

RK SERIES™ THREE PHASE DUPLEX 4-20mA CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDT463-001	1.0-1.6	NEMA 4X	208/230/460-3	Motor	\$3,092.06
RKDT463-101	1.6-2.5	NEMA 4X	208/230/460-3	Motor	\$3,092.06
RKDT463-201	2.5-4.0	NEMA 4X	208/230/460-3	Motor	\$3,092.06
RKDT463-301	4.0-6.3	NEMA 4X	208/230/460-3	Motor	\$3,092.06
RKDT463-401	6.0-10.0	NEMA 4X	208/230/460-3	Motor	\$3,092.06
RKDT463-511	9.0-14.0	NEMA 4X	208/230/460-3	Motor	\$3,173.43
RKDT463-611	13.0-18.0	NEMA 4X	208/230/460-3	Motor	\$3,173.43
RKDT463-621	17.0-23.0	NEMA 4X	208/230/460-3	Motor	\$3,199.18
RKDT463-701	20.0-25.0	NEMA 4X	208/230/460-3	Motor	\$3,199.18
RKDT463-801	24.0-32.0	NEMA 4X	208/230/460-3	Motor	\$3,199.18
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (included as standard)				\$0
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$228.66
SF	Seal Failure Indicator Light				\$121.54
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single phase, simplex capacitor start/run demand dose or timed dose float controlled system for pump control and system monitoring.

**RK SERIES™ SINGLE PHASE SIMPLEX CAPACITOR START/RUN FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKSF230CBG	0-12	NEMA 4X	230-1	Motor & Alarm, Capacitor Circuitry*	\$1,232.91
RKSF230ACBG	0-12	NEMA 4X	230-1	Motor, Control & Alarm, Capacitor Circuitry*	\$1,259.69
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$115.36
DCTD	Time Dosing DDC				\$165.83
FC20	(3) 20 foot mechanical control switches / pipe clamp				\$104.03
FC20CW	(3) 20 foot mechanical control switches / cable weight				\$129.78
FR20	(3) 20 foot mercury control switches / pipe clamp				\$120.51
FR20CW	(3) 20 foot mercury control switches / cable weight				\$146.26
FC30	(3) 30 foot mechanical control switches / pipe clamp				\$123.60
FC30CW	(3) 30 foot mechanical control switches / cable weight				\$149.35
FR30	(3) 30 foot mercury control switches / pipe clamp				\$139.05
FR30CW	(3) 30 foot mercury control switches / cable weight				\$165.83
FC50	(3) 50 foot mechanical control switches / pipe clamp				\$181.28
FC50CW	(3) 50 foot mechanical control switches / cable weight				\$208.06
FR50	(3) 50 foot mercury control switches / pipe clamp				\$200.85
FR50CW	(3) 50 foot mercury control switches / cable weight				\$227.63
GR	Gray Enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$41.20
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$160.68
IBTD	Time Dosing DIB				\$261.62
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$186.43
SF	Seal Failure Indicator Light				\$60.77
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

*Contact factory for capacitor circuitry details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single Phase, Simplex 4-20mA Continuous Level Control with External Start/Run Capacitors

RK SERIES™ SINGLE PHASE SIMPLEX 4-20mA CAPACITOR START/RUN CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKST230CBG	0-12	NEMA 4X	230-1	Motor & Control/Alarm, Capacitor Circuitry*	\$1,844.73
RKST230ACBG	0-12	NEMA 4X	230-1	Motor, Control & Alarm, Capacitor Circuitry*	\$1,871.51
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increase breakers and wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increase breakers and wire gauge to allow 18-24 FLA				\$41.20
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$186.43
SF	Seal Failure Indicator Light				\$60.77
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

*Contact factory for capacitor circuitry details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single phase, duplex capacitor start/run demand dose or timed dose float controlled system for pump control and system monitoring.

**RK SERIES™ SINGLE PHASE DUPLEX CAPACITOR START/RUN FLOAT PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDF230CBG	0-12	NEMA 4X	230-1	Motor & Alarm, Capacitor Circuitry*	\$1,798.38
RKDF230ACBG	0-12	NEMA 4X	230-1	Motor, Control & Alarm, Capacitor Circuitry*	\$1,830.31
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
DC	Digital Display Center				\$216.30
DCTD	Time Dosing DDC				\$319.30
FC20	(4) 20 foot mechanical control switches / pipe clamp				\$138.02
FC20CW	(4) 20 foot mechanical control switches / cable weight				\$173.04
FR20	(4) 20 foot mercury control switches / pipe clamp				\$159.65
FR20CW	(4) 20 foot mercury control switches / cable weight				\$194.67
FC30	(4) 30 foot mechanical control switches / pipe clamp				\$164.80
FC30CW	(4) 30 foot mechanical control switches / cable weight				\$198.79
FR30	(4) 30 foot mercury control switches / pipe clamp				\$186.43
FR30CW	(4) 30 foot mercury control switches / cable weight				\$216.30
FC50	(4) 50 foot mechanical control switches / pipe clamp				\$242.05
FC50CW	(4) 50 foot mechanical control switches / cable weight				\$277.07
FR50	(4) 50 foot mercury control switches / pipe clamp				\$267.80
FR50CW	(4) 50 foot mercury control switches / cable weight				\$302.82
GR	Gray Enclosure (black enclosure is standard)				\$0
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$41.20
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$52.53
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
IB	Digital Interface Board				\$319.30
IBTD	Time Dosing DIB				\$510.88
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$433.63
SF	Seal Failure Indicator Lights				\$121.54
X	Auxiliary Alarm and Redundant Off Circuitry (control switch not included)				\$60.77

*Contact factory for capacitor circuitry details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ PANELS

Single Phase, Duplex 4-20mA Continuous Level Control with External Start/Run Capacitors

RK SERIES™ SINGLE PHASE DUPLEX 4-20mA CAPACITOR START/RUN CONTROL PANEL					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
RKDT230CBG	0-12	NEMA 4X	230-1	Motor & Control/Alarm, Capacitor Circuitry*	\$2,724.35
RKDT230ACBG	0-12	NEMA 4X	230-1	Motor, Control & Alarm, Capacitor Circuitry*	\$2,756.28
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber beacon (red beacon is standard)				\$0
FC20	(2) 20 foot (6.1m) mechanical control switches / pipe clamp				\$69.01
FC20CW	(2) 20 foot (6.1m) mechanical control switches / cable weight				\$86.52
FR20	(2) 20 foot (6.1m) mercury control switches / pipe clamp				\$80.34
FR20CW	(2) 20 foot (6.1m) mercury control switches / cable weight				\$97.85
FC30	(2) 30 foot (9.1m) mechanical control switches / pipe clamp				\$82.40
FC30CW	(2) 30 foot (9.1m) mechanical control switches / cable weight				\$99.91
FR30	(2) 30 foot (9.1m) mercury control switches / pipe clamp				\$92.70
FR30CW	(2) 30 foot (9.1m) mercury control switches / cable weight				\$110.21
FC50	(2) 50 foot (15.2m) mechanical control switches / pipe clamp				\$121.54
FC50CW	(2) 50 foot (15.2m) mechanical control switches / cable weight				\$138.02
FR50	(2) 50 foot (15.2m) mercury control switches / pipe clamp				\$133.90
FR50CW	(2) 50 foot (15.2m) mercury control switches / cable weight				\$151.41
GR	Gray enclosure (included as standard)				\$0
HD1	Heavy Duty 1: Increase breakers and wire gauge to allow 12-18 FLA				\$41.20
HD2	Heavy Duty 2: Increase breakers and wire gauge to allow 18-24 FLA				\$52.53
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$433.63
SF	Seal Failure Indicator Light				\$121.54
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)				\$877.56
X	Auxiliary Alarm Contacts				\$60.77

*Contact factory for capacitor circuitry details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**RK SERIES™ DISPLAYS

The RK Series™ displays are currently available in two versions - the Digital Display Center (DDC), and the Digital Interface Board (DIB). The DDC display utilizes a (4) four character LED display screen while the DIB incorporates a two line, 16 character display screen providing a more complete read out for the user.

**DIGITAL DISPLAY CENTER (DDC) - 4 CHARACTER READ OUT			
PART #	MODEL#	DESCRIPTION	LIST PRICE
1026089	DDCS	Simplex Elapsed Time Meter & Cycle Counter	\$115.36
1026090	DDCSTD	Simplex Timed Dosing w/Time Meter & Counter	\$165.83
1028611	DDCD	Duplex Elapsed Time Meter & Cycle Counter	\$216.30
1028613	DDCDTD	Duplex Timed Dosing w/Time Meter & Counter	\$319.30
**DIGITAL INTERFACE BOARD (DIB) - 32 CHARACTER READ OUT			
PART #	MODEL#	DESCRIPTION	LIST PRICE
1050993	DIBS	Simplex Elapsed Time Meter & Cycle Counter	\$234.84
1050989	DIBD	Duplex Elapsed Time Meter & Cycle Counter	\$319.30
1050990	DIBSTD	Simplex Time Dosing w/Elapsed Time Meter & Cycle Counter	\$261.62
1050991	DIBDTD	Duplex Time Dosing w/Elapsed Time Meter & Cycle Counter	\$510.88

**FUSION™ ECONOMY PANELS

Single phase, simplex demand dose float controlled system for pump control and system monitoring.

**ECONOMY FUSION SIMPLEX FLOAT PANELS					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
EFS115	12	NEMA 4X	115-1	None	\$757.05
EFS115CB	12	NEMA 4X	115-1	Motor & Control	\$806.49
EFS115ACB	12	NEMA 4X	115-1	Motor, Control & Alarm	\$887.86
EFS230	12	NEMA 4X	230-1	None	\$781.77
EFS230CB	12	NEMA 4X	230-1	Motor & Control	\$855.93
EFS230ACB	12	NEMA 4X	230-1	Motor, Control & Alarm	\$931.12
OPTIONS	DESCRIPTION				LIST ADDER
FC20	(3) 20 foot mechanical control switches / pipe clamp				\$104.03
FC20CW	(3) 20 foot mechanical control switches / cable weight				\$129.78
FR20	(3) 20 foot mercury control switches / pipe clamp				\$120.51
FR20CW	(3) 20 foot mercury control switches / cable weight				\$146.26
FC30	(3) 30 foot mechanical control switches / pipe clamp				\$123.60
FC30CW	(3) 30 foot mechanical control switches / cable weight				\$149.35
FR30	(3) 30 foot mercury control switches / pipe clamp				\$139.05
FR30CW	(3) 30 foot mercury control switches / cable weight				\$165.83
FC50	(3) 50 foot mechanical control switches / pipe clamp				\$181.28
FC50CW	(3) 50 foot mechanical control switches / cable weight				\$208.06
FR50	(3) 50 foot mercury control switches / pipe clamp				\$200.85
FR50CW	(3) 50 foot mercury control switches / cable weight				\$217.33
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$41.20
X	Auxiliary Alarm Contacts				\$26.78

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**FUSION™ PANELS

Single phase, simplex demand dose or timed dose float controlled system for pump control and system monitoring.

**FUSION SINGLE PHASE SIMPLEX FLOAT PANELS					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
FS115CB	12	NEMA 4X	115-1	Motor & Control	\$849.75
FS115ACB	12	NEMA 4X	115-1	Motor, Control & Alarm	\$909.49
FS230CB	12	NEMA 4X	230-1	Motor & Control	\$900.22
FS230ACB	12	NEMA 4X	230-1	Motor, Control & Alarm	\$959.96
FS230CBG	12	NEMA 4X	230-1	Motor & Control, Capacitor Circuitry*	\$1,581.05
FS230ACBG	12	NEMA 4 X	230-1	Motor, Control & Alarm, Capacitor Circuitry*	\$1,609.89
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
AR	Manual Alarm Reset				\$122.57
EC	Elapsed Time Meter and Cycle Counter				\$172.01
FC20	(3) 20 foot mechanical control switches / pipe clamp				\$104.03
FC20CW	(3) 20 foot mechanical control switches / cable weight				\$129.78
FR20	(3) 20 foot mercury control switches / pipe clamp				\$120.51
FR20CW	(3) 20 foot mercury control switches / cable weight				\$146.26
FC30	(3) 30 foot mechanical control switches / pipe clamp				\$123.60
FC30CW	(3) 30 foot mechanical control switches / cable weight				\$149.35
FR30	(3) 30 foot mercury control switches / pipe clamp				\$139.05
FR30CW	(3) 30 foot mercury control switches / cable weight				\$165.83
FC50	(3) 50 foot mechanical control switches / pipe clamp				\$181.28
FC50CW	(3) 50 foot mechanical control switches / cable weight				\$208.06
FR50	(3) 50 foot mercury control switches / pipe clamp				\$200.85
FR50CW	(3) 50 foot mercury control switches / cable weight				\$227.63
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$26.78
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$41.20
HS	Heat Sensor Terminals				\$26.78
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
LL	Low Level Alarm (control switch not included)				\$52.53
OL###	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$186.43
SF	Seal Failure Indicator Light				\$60.77
TD	Time Dosing Operation				\$159.65
X	Auxiliary Alarm Contacts				\$26.78

*Contact factory for capacitor circuitry details.

MODEL #	DESCRIPTION	LIST PRICE
1063791	FS230CB-HD1-X	\$953.78

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**FUSION™ PANELS

Single phase, duplex demand dose float controlled system for pump control and system monitoring.

**FUSION SINGLE PHASE DUPLEX FLOAT PANELS					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
FD115CB	12	NEMA 4X	115-1	Motor & Control	\$1,442.00
FD115ACB	12	NEMA 4X	115-1	Motor, Control & Alarm	\$1,491.44
FD230CB	12	NEMA 4X	230-1	Motor & Control	\$1,532.64
FD230ACB	12	NEMA 4X	230-1	Motor, Control & Alarm	\$1,582.08
OPTIONS	DESCRIPTION				LIST ADDER
AMB	Amber Beacon (red beacon is standard)				\$0
AR	Manual Alarm Reset				\$122.57
EC	Elapsed Time Meter and Cycle Counter				\$344.02
FC20	(4) 20 foot mechanical control switches / pipe clamp				\$138.02
FC20CW	(4) 20 foot mechanical control switches / cable weight				\$173.04
FR20	(4) 20 foot mercury control switches / pipe clamp				\$159.65
FR20CW	(4) 20 foot mercury control switches / cable weight				\$194.67
FC30	(4) 30 foot mechanical control switches / pipe clamp				\$164.80
FC30CW	(4) 30 foot mechanical control switches / cable weight				\$198.79
FR30	(4) 30 foot mercury control switches / pipe clamp				\$186.43
FR30CW	(4) 30 foot mercury control switches / cable weight				\$220.42
FC50	(4) 50 foot mechanical control switches / pipe clamp				\$242.05
FC50CW	(4) 50 foot mechanical control switches / cable weight				\$277.07
FR50	(4) 50 foot mercury control switches / pipe clamp				\$267.80
FR50CW	(4) 50 foot mercury control switches / cable weight				\$302.82
HD1	Heavy Duty 1: Increase breakers & wire gauge to allow 12-18 FLA				\$41.20
HD2	Heavy Duty 2: Increase breakers & wire gauge to allow 18-24 FLA				\$52.53
HS	Heat Sensor Terminals				\$54.59
HTR	Anti-Condensation Heater				\$186.43
LA	Lightning Arrestor				\$122.57
LL	Low Level Alarm (control switch not included)				\$52.53
OL##	Pump Overload - specify amperage after OL (Example: OL02 = 2 amp pump, OL20 = 20 amp pump)				\$345.05
SF	Seal Failure Indicator Lights				\$121.54
X	Auxiliary Alarm Contacts				\$26.78

MODEL #	DESCRIPTION	LIST PRICE
1063792	FD230CB-HD1-X	\$1,600.62

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**FUSION™ PANELS

Three phase, simplex pump control.

**FUSION THREE PHASE SIMPLEX PANEL				
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	LIST PRICE PANEL ONLY
FS463-001*	1.0-1.6	NEMA 4X	208/240/480-3	\$1,915.80
FS463-101*	1.6-2.5	NEMA 4X	208/240/480-3	\$1,915.80
FS463-201*	2.5-4.0	NEMA 4X	208/240/480-3	\$1,915.80
FS463-301*	4.0-6.3	NEMA 4X	208/240/480-3	\$1,915.80
FS463-401*	6.0-10.0	NEMA 4X	208/240/480-3	\$1,915.80
FS463-511*	9.0-14.0	NEMA 4X	208/240/480-3	\$1,976.57
FS463-611*	13.0-18.0	NEMA 4X	208/240/480-3	\$1,976.57
FS463-621*	17.0-23.0	NEMA 4X	208/240/480-3	\$1,990.99
FS463-701*	20.0-25.0	NEMA 4X	208/240/480-3	\$1,990.99
FS463-801*	24.0-32.0	NEMA 4X	208/240/480-3	\$1,990.99
OPTIONS	DESCRIPTION			LIST ADDER
AMB	Amber beacon (red beacon is standard)			\$0
EC	Elapsed Time Meter and Cycle Counter			\$172.01
FC20	(3) 20 foot (6.1m) mechanical control switches / pipe clamp			\$104.03
FC20CW	(3) 20 foot (6.1m) mechanical control switches / cable weight			\$129.78
FR20	(3) 20 foot (6.1m) mercury control switches / pipe clamp			\$120.51
FR20CW	(3) 20 foot (6.1m) mercury control switches / cable weight			\$146.26
FC30	(3) 30 foot (9.1m) mechanical control switches / pipe clamp			\$123.60
FC30CW	(3) 30 foot (9.1m) mechanical control switches / cable weight			\$149.35
FR30	(3) 30 foot (9.1m) mercury control switches / pipe clamp			\$139.05
FR30CW	(3) 30 foot (9.1m) mercury control switches / cable weight			\$165.83
FC50	(3) 50 foot (15.2m) mechanical control switches / pipe clamp			\$181.28
FC50CW	(3) 50 foot (15.2m) mechanical control switches / cable weight			\$208.06
FR50	(3) 50 foot (15.2m) mercury control switches / pipe clamp			\$200.85
FR50CW	(3) 50 foot (15.2m) mercury control switches / cable weight			\$227.63
HS	Heat Sensor Terminals			\$26.78
HTR	Anti-Condensation Heater			\$186.43
LA	Lightning Arrestor			\$122.57
SF	Seal Failure Indicator Light			\$60.77
X	Auxiliary Alarm			\$26.78

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**FUSION™ PANELS

Three phase, duplex alternating pump control.

**FUSION THREE PHASE DUPLEX PANEL				
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	LIST PRICE PANEL ONLY
FD463-001*	1.0-1.6	NEMA 4X	208/240/480-3	\$2,868.55
FD463-101*	1.6-2.5	NEMA 4X	208/240/480-3	\$2,868.55
FD463-201*	2.5-4.0	NEMA 4X	208/240/480-3	\$2,868.55
FD463-301*	4.0-6.3	NEMA 4X	208/240/480-3	\$2,868.55
FD463-401*	6.0-10.0	NEMA 4X	208/240/480-3	\$2,868.55
FD463-511*	9.0-14.0	NEMA 4X	208/240/480-3	\$2,949.92
FD463-611*	13.0-18.0	NEMA 4X	208/240/480-3	\$2,949.92
FD463-621*	17.0-23.0	NEMA 4X	208/240/480-3	\$2,975.67
FD463-701*	20.0-25.0	NEMA 4X	208/240/480-3	\$2,975.67
FD463-801*	24.0-32.0	NEMA 4X	208/240/480-3	\$2,975.67
OPTIONS	DESCRIPTION			LIST ADDER
AMB	Amber beacon (red beacon is standard)			\$0
EC	Elapsed Time Meter and Cycle Counter			\$344.02
FC20	(4) 20 foot (6.1m) mechanical control switches / pipe clamp			\$138.02
FC20CW	(4) 20 foot (6.1m) mechanical control switches / cable weight			\$173.04
FR20	(4) 20 foot (6.1m) mercury control switches / pipe clamp			\$159.65
FR20CW	(4) 20 foot (6.1m) mercury control switches / cable weight			\$194.67
FC30	(4) 30 foot (9.1m) mechanical control switches / pipe clamp			\$164.80
FC30CW	(4) 30 foot (9.1m) mechanical control switches / cable weight			\$198.79
FR30	(4) 30 foot (9.1m) mercury control switches / pipe clamp			\$186.43
FR30CW	(4) 30 foot (9.1m) mercury control switches / cable weight			\$220.42
FC50	(4) 50 foot (15.2m) mechanical control switches / pipe clamp			\$242.05
FC50CW	(4) 50 foot (15.2m) mechanical control switches / cable weight			\$277.07
FR50	(4) 50 foot (15.2m) mercury control switches / pipe clamp			\$267.80
FR50CW	(4) 50 foot (15.2m) mercury control switches / cable weight			\$302.82
HS	Heat Sensor Terminals			\$54.59
HTR	Anti-Condensation Heater			\$186.43
LA	Lightning Arrestor			\$122.57
SF	Seal Failure Indicator Light			\$121.54
X	Auxiliary Alarm			\$26.78

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**POWER ZONE™ PANELS

Single phase, simplex demand dose or timed dose float controlled system for pump control and system monitoring.

**POWER ZONE SINGLE PHASE SIMPLEX FLOAT PANELS					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PZSF115CB	16	NEMA 4X	115-1	Motor & Control	\$836.36
PZSF115ACB	16	NEMA 4X	115-1	Motor, Control & Alarm	\$861.08
PZSF230CB	16	NEMA 4X	230-1	Motor & Control	\$864.17
PZSF230ACB	16	NEMA 4X	230-1	Motor, Control & Alarm	\$888.89
Power Zone™ Simplex Transmitter 4-20mA					
PZST115CB	16	NEMA 4x	115-1	Motor & Control	\$923.91
PZST115ACB	16	NEMA 4x	115-1	Motor, Control & Alarm	\$948.63
PZST230CB	16	NEMA 4x	230-1	Motor & Control	\$956.87
PZST230ACB	16	NEMA 4x	230-1	Motor, Control & Alarm	\$981.59
OPTIONS	DESCRIPTION			FLOAT PANEL LIST ADDER	TRANSMITTER PANEL LIST ADDER
FC20	20 foot (6.1m) mechanical control switches / pipe clamp			(3) PZSF - \$104.03	(2) PZST - \$69.01
FC20CW	20 foot (6.1m) mechanical control switches / cable weight			(3) PZSF - \$129.78	(2) PZST - \$86.52
FR20	20 foot (6.1m) mercury control switches / pipe clamp			(3) PZSF - \$120.51	(2) PZST - \$80.34
FR20CW	20 foot (6.1m) mercury control switches / cable weight			(3) PZSF - \$146.26	(2) PZST - \$97.85
FC30	30 foot (9.1m) mechanical control switches / pipe clamp			(3) PZSF - \$123.60	(2) PZST - \$82.40
FC30CW	30 foot (9.1m) mechanical control switches / cable weight			(3) PZSF - \$149.35	(2) PZST - \$99.91
FR30	30 foot (9.1m) mercury control switches / pipe clamp			(3) PZSF - \$139.05	(2) PZST - \$92.70
FR30CW	30 foot (9.1m) mercury control switches / cable weight			(3) PZSF - \$165.83	(2) PZST - \$110.21
FC50	50 foot (15.2m) mechanical control switches / pipe clamp			(3) PZSF - \$181.28	(2) PZST - \$121.54
FC50CW	50 foot (15.2m) mechanical control switches / cable weight			(3) PZSF - \$208.06	(2) PZST - \$138.02
FR50	50 foot (15.2m) mercury control switches / pipe clamp			(3) PZSF - \$200.85	(2) PZST - \$133.90
FR50CW	50 foot (15.2m) mercury control switches / cable weight			(3) PZSF - \$227.63	(2) PZST - \$151.41
OPTIONS	DESCRIPTION				LIST ADDER
HD	Heavy Duty - Increases breakers and wire gauge to allow 16-20 FLA				\$26.78
PED	Poly Pedestal with access door				\$127.72
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)*				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)*				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)*				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)*				\$877.56
X	Auxiliary Alarm & Redundant Off Circuitry (control switch not included)				\$60.77

*Only available for PZST panel models.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**POWER ZONE™ PANELS

Single phase, duplex demand dose float controlled system for pump control and system monitoring.

**POWER ZONE SINGLE PHASE DUPLEX FLOAT PANELS					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PZDF115CB	16	NEMA 4X	115-1	Motor & Control	\$1,095.92
PZDF115ACB	16	NEMA 4X	115-1	Motor, Control & Alarm	\$1,122.70
PZDF230CB	16	NEMA 4X	230-1	Motor & Control	\$1,171.11
PZDF230ACB	16	NEMA 4X	230-1	Motor, Control & Alarm	\$1,197.89
Power Zone™ Duplex Transmitter 4-20mA					
PZDT115CB	16	NEMA 4x	115-1	Motor & Control	\$1,177.29
PZDT115ACB	16	NEMA 4x	115-1	Motor, Control & Alarm	\$1,204.07
PZDT230CB	16	NEMA 4x	230-1	Motor & Control	\$1,241.15
PZDT230ACB	16	NEMA 4x	230-1	Motor, Control & Alarm	\$1,267.93
OPTIONS	DESCRIPTION			FLOAT PANEL LIST ADDER	TRANSMITTER PANEL LIST ADDER
FC20	20 foot (6.1m) mechanical control switches / pipe clamp			(4) PZDF - \$138.02	(2) PZDT - \$69.01
FC20CW	20 foot (6.1m) mechanical control switches / cable weight			(4) PZDF - \$173.04	(2) PZDT - \$86.52
FR20	20 foot (6.1m) mercury control switches / pipe clamp			(4) PZDF - \$159.65	(2) PZDT - \$80.34
FR20CW	20 foot (6.1m) mercury control switches / cable weight			(4) PZDF - \$194.67	(2) PZDT - \$97.85
FC30	30 foot (9.1m) mechanical control switches / pipe clamp			(4) PZDF - \$164.80	(2) PZDT - \$82.40
FC30CW	30 foot (9.1m) mechanical control switches / cable weight			(4) PZDF - \$198.79	(2) PZDT - \$99.91
FR30	30 foot (9.1m) mercury control switches / pipe clamp			(4) PZDF - \$186.43	(2) PZDT - \$92.70
FR30CW	30 foot (9.1m) mercury control switches / cable weight			(4) PZDF - \$220.42	(2) PZDT - \$110.21
FC50	50 foot (15.2m) mechanical control switches / pipe clamp			(4) PZDF - \$242.05	(2) PZDT - \$121.54
FC50CW	50 foot (15.2m) mechanical control switches / cable weight			(4) PZDF - \$277.07	(2) PZDT - \$138.02
FR50	50 foot (15.2m) mercury control switches / pipe clamp			(4) PZDF - \$267.80	(2) PZDT - \$133.90
FR50CW	50 foot (15.2m) mercury control switches / cable weight			(4) PZDF - \$302.82	(2) PZDT - \$151.41
OPTIONS	DESCRIPTION				LIST ADDER
HD	Heavy Duty - Increases breakers and wire gauge to allow 16-20 FLA				\$41.20
PED	Poly Pedestal with access door				\$127.72
TC25	(1) CS4-20 100 inWC with 25 foot cable (backup floats recommended, add float code option)*				\$354.32
TC50	(1) CS4-20 100 inWC with 50 foot cable (backup floats recommended, add float code option)*				\$414.06
TS25	(1) SLX 16.7 ftWC with 25 foot cable (backup floats recommended, add float code option)*				\$691.13
TS50	(1) SLX 16.7 ftWC with 50 foot cable (backup floats recommended, add float code option)*				\$877.56
X	Auxiliary Alarm & Redundant Off Circuitry (control switch not included)				\$60.77

*Only available for PZDT panel models.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**PRO-GRADE™ SINGLE PHASE PANELS

Single phase, simplex or duplex demand dose float controlled system for pump control and system monitoring.

**PRO-GRADE SINGLE PHASE SIMPLEX PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PG21I104X6A7A10E15A19X	0-7	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,149.48
PG21W104X6A7A10E15A19X	0-7	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,340.03
PG21I114X6A7A10E15A19X	7-15	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,275.14
PG21W114X6A7A10E15A19X	7-15	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,465.69
PG21I124X6A7A10E15A19X	15-20	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,388.44
PG21W124X6A7A10E15A19X	15-20	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,578.99
PG21I134X6A7A10E15A19X	20-30	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,414.19
PG21W134X6A7A10E15A19X	20-30	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,604.74
**PRO-GRADE SINGLE PHASE DUPLEX PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PG41I104X6A7A10E15A19BX	0-7	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,531.61
PG41W104X6A7A10E15A19BX	0-7	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,722.16
PG41I114X6A7A10E15A19BX	7-15	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,656.24
PG41W114X6A7A10E15A19BX	7-15	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,846.79
PG41I124X6A7A10E15A19BX	15-20	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,771.60
PG41W124X6A7A10E15A19BX	15-20	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,962.15
PG41I134X6A7A10E15A19BX	20-30	NEMA 1	115/230-1	Motor & Control/Alarm	\$1,795.29
PG41W134X6A7A10E15A19BX	20-30	NEMA 4X	115/230-1	Motor & Control/Alarm	\$1,985.84
OPTIONS	DESCRIPTION				LIST ADDER
1P	Red Alarm				\$89.61
3A	Beacon Flasher (option 1P required)				\$56.65
3H	Beacon Steady On, Flash On Alarm (option 1P required)				\$39.90
5AD	Overtemp Shutdown + Alarm				\$147.29
5EM	Seal Fail Indication				\$147.29
6A	Auxiliary Contacts, Form C (included as standard)				\$0
7A	Powered Normally Open Alarm Contacts (included as standard)				\$0
8F	Door Mounted ETM				\$120.51
10E	Lockable Latch (included as standard)				\$0
10K	Anti-Condensation Heater				\$120.51
15A	Control/Alarm Circuit Breaker (included as standard)				\$0
19B	Duplex Alternation (duplex models only, included as standard)				\$0
19X	Door Mounted Pump Run Indicator (included as standard)				\$0
27A	Intrinsically Safe Barrier				\$842.54

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**PRO-GRADE™ THREE PHASE PANELS

Three phase, simplex or duplex demand dose float controlled system for pump control and system monitoring.

**PRO-GRADE THREE PHASE SIMPLEX PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PG51I101X5R6A7A10E15A19X	1.5-2.5	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,038.37
PG51W101X5R6A7A10E15A19X	1.5-2.5	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,228.92
PG51I201X5R6A7A10E15A19X	2.5-4.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,038.37
PG51W201X5R6A7A10E15A19X	2.5-4.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,228.92
PG51I301X5R6A7A10E15A19X	4.0-6.3	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,194.93
PG51W301X5R6A7A10E15A19X	4.0-6.3	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,385.48
PG51I401X5R6A7A10E15A19X	6.0-10.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,194.93
PG51W401X5R6A7A10E15A19X	6.0-10.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,385.48
PG51I511X5R6A7A10E15A19X	9.0-14.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,286.60
PG51W511X5R6A7A10E15A19X	9.0-14.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,477.15
PG51I611X5R6A7A10E15A19X	13.0-18.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,286.60
PG51W611X5R6A7A10E15A19X	13.0-18.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,477.15
PG51I621X5R6A7A10E15A19X	17.0-23.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,349.43
PG51W621X5R6A7A10E15A19X	17.0-23.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,539.98
PG51I701X5R6A7A10E15A19X	20.0-25.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,349.43
PG51W701X5R6A7A10E15A19X	20.0-25.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,539.98
PG51I801X5R6A7A10E15A19X	25.0-32.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,349.43
PG51W801X5R6A7A10E15A19X	25.0-32.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$2,539.98
**PRO-GRADE THREE PHASE DUPLEX PANELS					
MODEL #	FLA RANGE	ENCLOSURE TYPE	INPUT POWER VAC - PH	CIRCUIT BREAKERS	LIST PRICE PANEL ONLY
PG61I101X5R6A7A10E15A19BX	1.5-2.5	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,867.52
PG61W101X5R6A7A10E15A19BX	1.5-2.5	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,058.07
PG61I201X5R6A7A10E15A19BX	2.5-4.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$2,867.52
PG61W201X5R6A7A10E15A19BX	2.5-4.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,058.07
PG61I301X5R6A7A10E15A19BX	4.0-6.3	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,022.02
PG61W301X5R6A7A10E15A19BX	4.0-6.3	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,212.57
PG61I401X5R6A7A10E15A19BX	6.0-10.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,022.02
PG61W401X5R6A7A10E15A19BX	6.0-10.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,212.57
PG61I511X5R6A7A10E15A19BX	9.0-14.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,114.72
PG61W511X5R6A7A10E15A19BX	9.0-14.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,305.27
PG61I611X5R6A7A10E15A19BX	13.0-18.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,179.61
PG61W611X5R6A7A10E15A19BX	13.0-18.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,305.27
PG61I621X5R6A7A10E15A19BX	17.0-23.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,179.61
PG61W621X5R6A7A10E15A19BX	17.0-23.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,370.16
PG61I701X5R6A7A10E15A19BX	20.0-25.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,179.61
PG61W701X5R6A7A10E15A19BX	20.0-25.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,370.16
PG61I801X5R6A7A10E15A19BX	25.0-32.0	NEMA 1	208/240/460-3	Motor & Control/Alarm	\$3,179.61
PG61W801X5R6A7A10E15A19BX	25.0-32.0	NEMA 4X	208/240/460-3	Motor & Control/Alarm	\$3,370.16
OPTIONS	DESCRIPTION				LIST ADDER
1P	Red Alarm				\$89.61
3A	Beacon Flasher (option 1P required)				\$56.65
3H	Beacon Steady On, Flash On Alarm (option 1P required)				\$39.14
5AD	Overtemp Shutdown + Alarm				\$147.29
5EM	Seal Fail Indication				\$147.29
5R	Pump Fail Indication & Alarm (included as standard)				\$0
6A	Auxiliary Contacts, Form C (included as standard)				\$0
7A	Powered Normally Open Alarm Contacts (included as standard)				\$0
8F	Door Mounted ETM				\$239.99
10E	Lockable Latch (included as standard)				\$0
10K	Anti-Condensation Heater				\$120.51
15A	Control/Alarm Circuit Breaker (included as standard)				\$0
19B	Duplex Alternation (duplex models only, included as standard)				\$0
19X	Door Mounted Pump Run Indicator (included as standard)				\$0
27A	Intrinsically Safe Barrier				\$842.54

California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**MINUTEMAN LEVEL ALERT™ PEDESTAL PANELS

Pedestal mounted plugger control panel with high water alarm.

**MINUTEMAN LEVEL ALERT™ PANELS		
PART #	DESCRIPTION	LIST PRICE PANEL ONLY
CSMM	Nema 4X Alarm with LED Alarm Light, outlet for piggyback float installation & 9V battery back-up. Includes a 15ft alarm float switch and enclosure mounting feet. Piggyback pump switch & pedestal not included.	\$409.50
CSMMP	Nema 4X Pedestal Mounted Alarm with LED Alarm Light, outlet for piggyback float installation & 9V battery back-up. Includes a 15ft alarm float switch and rubber grommet to seal incoming wires. Piggyback pump switch not included.	\$640.50
OPTIONS	DESCRIPTION	LIST ADDER
230	230 Volt	\$35.70
D	Dual Power - Separate incoming power to Pump & Alarm/Control	115V \$15.75 230V \$27.30
GF	(1) 15ft Piggyback pump switch	115V \$75.60 230V \$84.00
NF	No Float included - Deducts Standard 15ft Alarm Float	(-\$39.00)
T	Terminal block incoming power connection	\$27.30

**H₂OIL ALARM™ SYSTEM

Provides pump control and alarm notification of potentially threatening water and oil levels in simplex pumping applications.

PART #	DESCRIPTION	LIST PRICE
1037497	H2Oil Alarm™ System	\$1,317.37
1037520	H2Oil Alarm™ System with CS1200 Alarm	\$1,432.73

**VIP-331 PANELS

Three phase, three voltages, one panel for duplex pump station applications.

VIP-331 CONTROL PANEL					
MODEL #	MAX FLA	ENCLOSURE TYPE	INPUT POWER VAC - PH	DESCRIPTION	LIST PRICE PANEL ONLY
1059961	32	NEMA 4X	208/240/480-3	VIP-331 Control Panel, Stainless Steel	\$5,509.47
1059962	32	NEMA 4X	208/240/480-3	VIP-331 Control Panel, Fiberglass	\$4,348.66
1059963	32	NEMA 4X	208/240/480-3	VIP-331 Control Panel, Stainless Steel, Intrinsically Safe	\$6,259.31
1059964	32	NEMA 4X	208/240/480-3	VIP-331 Control Panel, Fiberglass, Intrinsically Safe	\$5,126.31
OPTIONS	DESCRIPTION				LIST ADDER
1033805*	Overload module 1.25 - 5.0 FLA				\$145.95
1023500*	Overload module 4.5 - 18.0 FLA				\$145.95
1033806*	Overload module 8.0 - 32.0 FLA				\$145.95
1036351	Surge arrestor				\$462.00
- - -	Pedestal Option - Consult Factory				

* Two overload modules required for panel operation.

**VIP-XR PANEL

Three phase duplex industrial grade control panel with continuous level monitoring featuring the Atlas 4-XR Controller.

**VIP-XR PANEL		
PART #	DESCRIPTION	LIST PRICE
1051954	VIP-XR Control Panel	\$5,514.62
1036510*	Overload Module, 3.0-12.0 FLA	\$145.95
1033806*	Overload Module, 8.0-32.0 FLA	\$145.95

*Two overload modules required for panel operation.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

**WELLZONE® WIRE PRESSURE CONTROLLERS

2-Wire and 3-Wire Single Phase Well Pump Control Panels

**WELLZONE® 2-WIRE PRESSURE CONTROLLER						
PART #	DESCRIPTION					LIST PRICE
1104528	WellZone™ 2W-150, CSI					\$628.30
**WELLZONE® 3-WIRE PRESSURE CONTROLLER						
PART #	DESCRIPTION	HP	VOLTS	SFA	SHIPPING WEIGHT	LIST PRICE
1105505	WellZone™ 3W-050	.5	230	4.3	7.3	\$1,150.00
1105506	WellZone™ 3W-075	.75	230	5.7	7.3	\$1,150.00
1105507	WellZone™ 3W-100	1	230	7.1	7.3	\$1,150.00
1105508	WellZone™ 3W-150	1.5	230	11.5	7.3	\$1,150.00
1105509	WellZone™ 3W-200	2	230	13.2	7.3	\$1,400.00
1105510	WellZone™ 3W-300	3	230	17.0	7.3	\$1,400.00
WELLZONE® 2-WIRE AND 3-WIRE PRESSURE CONTROLLER ACCESSORIES (OPTIONAL)						
PART #	DESCRIPTION					LIST PRICE
1078433	360 degree water sensor with 20 ft. cable					\$101.97
1077481	Transducer with cable, 4-20mA, 0-150 PSI, bagged					\$375.00

SPF SERIES™ SINGLE PHASE SIMPLEX

Single Phase, Simplex Motor Control

SPF SERIES™ SINGLE PHASE SIMPLEX				
PART #	DESCRIPTION (WITHOUT ELAPSED TIME METER)	AMPS	SHIPPING WEIGHT	LIST PRICE
1113704	SPF Series™ Simplex, 120/208/240V, (3) 20' Mechanical Control Switches	0-12	9 lbs.	\$701.43
1113705	SPF Series™ Simplex, 120/208/240V, No Floats	0-12	5 lbs.	\$622.12
1113706	SPF Series™ Simplex, 120/208/240V, (3) 20' Mechanical Control Switches	9-20	9 lbs.	\$701.43
1113707	SPF Series™ Simplex, 120/208/240V, No Floats	9-20	5 lbs.	\$622.12
PART #	DESCRIPTION (WITH ELAPSED TIME METER)	AMPS	SHIPPING WEIGHT	LIST PRICE
1113708	SPF Series™ Simplex, 120/208/240V, with ETM, (3) 20' Mechanical Control Switches	0-12	9 lbs.	\$798.25
1113709	SPF Series™ Simplex, 120/208/240V, with ETM, No Floats	0-12	5 lbs.	\$718.94
1113710	SPF Series™ Simplex, 120/208/240V, with ETM, (3) 20' Mechanical Control Switches	9-20	9 lbs.	\$798.25
1113711	SPF Series™ Simplex, 120/208/240V, with ETM, No Floats	9-20	5 lbs.	\$718.94

SPF SERIES™ SINGLE PHASE DUPLEX

Single Phase, Duplex Motor Alternating Pump Control with Override

SPF SERIES™ SINGLE PHASE DUPLEX				
PART #	DESCRIPTION (WITHOUT ELAPSED TIME METER)	AMPS	SHIPPING WEIGHT	LIST PRICE
1113712	SPF Series™ Duplex, 120/208/240V, (4) 20' Mechanical Control Switches	0-12	14 lbs.	\$1,288.53
1113713	SPF Series™ Duplex, 120/208/240V, (3) 20' Mechanical Control Switches	0-12	12 lbs.	\$1,244.24
1113714	SPF Series™ Duplex, 120/208/240V, No Floats	0-12	9 lbs.	\$1,111.37
1113715	SPF Series™ Duplex, 120/208/240V, (4) 20' Mechanical Control Switches	9-20	14 lbs.	\$1,288.53
1113716	SPF Series™ Duplex, 120/208/240V, (3) 20' Mechanical Control Switches	9-20	12 lbs.	\$1,244.24
1113717	SPF Series™ Duplex, 120/208/240V, No Floats	9-20	9 lbs.	\$1,111.37
PART #	DESCRIPTION (WITH ELAPSED TIME METER)	AMPS	SHIPPING WEIGHT	LIST PRICE
1113718	SPF Series™ Duplex, 120/208/240V, with ETM, (4) 20' Mechanical Control Switches	0-12	14 lbs.	\$1,434.79
1113719	SPF Series™ Duplex, 120/208/240V, with ETM, (3) 20' Mechanical Control Switches	0-12	12 lbs.	\$1,193.77
1113720	SPF Series™ Duplex, 120/208/240V, with ETM, No Floats	0-12	9 lbs.	\$1,257.63
1113721	SPF Series™ Duplex, 120/208/240V, with ETM, (4) 20' Mechanical Control Switches	9-20	14 lbs.	\$1,434.79
1113722	SPF Series™ Duplex, 120/208/240V, with ETM, (3) 20' Mechanical Control Switches	9-20	12 lbs.	\$1,390.50
1113723	SPF Series™ Duplex, 120/208/240V, with ETM, No Floats	9-20	9 lbs.	\$1,257.63

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL PANELS

SPF SERIES™ GRINDER SIMPLEX CONTROL PANEL

Single Phase Grinder Pump Control

SPF SERIES™ GRINDER SIMPLEX CONTROL PANEL

PART #	DESCRIPTION	PUMP MANUFACTURER	PUMP MODEL	PUMP HP	PUMP FLA	PUMP VAC	SHIPPING WEIGHT	LIST PRICE
1113882	SPF Grinder 1 ph, Simplex - 71B	Ashland Pump	AGP-HC200M2E-35	2	18A	230/240V	7.3 lbs.	\$1,400.00
1113883	SPF Grinder 1 ph, Simplex - 87A	Champion Pump	CPG2023DSL	2	15A	230/240V	7.3 lbs.	\$1,400.00
1113884	SPF Grinder 1 ph, Simplex - 53U	Crane Pumps & Systems	ZOGP2072L	2	15A	230/240V	7.3 lbs.	\$1,400.00
1113885	SPF Grinder 1 ph, Simplex - 58E	Franklin Electric	IGP-M231	2	13.9A	230/240V	7.3 lbs.	\$1,400.00
1113886	SPF Grinder 1 ph, Simplex - 67C	Liberty Pumps	LSG202M-C	2	15A	230/240V	7.3 lbs.	\$1,400.00
1113887	SPF Grinder 1 ph, Simplex - 52B	Pentair/Hydromatic	HPG200M2-2	2	15.6A	230/240V	7.3 lbs.	\$1,400.00
1113893	NEX Grinder 1 ph, Simplex - 54R/72P	Fe Myers/Hydromatic	VS20-21/HVS200M	2	13.5A	230/240V	7.3 lbs.	\$1,400.00
1113888	SPF Grinder 1 ph, Simplex - 54A	Pentair/Fe Myers	WG20-21	2	12.5A	230/240V	7.3 lbs.	\$1,250.00
1113889	SPF Grinder 1 ph, Simplex - 57A	Zoeller	E841	2	17.2A	230/240V	7.3 lbs.	\$1,250.00
1113890	SPF Grinder 1 ph, Simplex - 70A	Wayne/Blue Angel	BARDSP1-2021	2	14.5A	230/240V	7.3 lbs.	\$1,250.00
1113891	SPF Grinder 1 ph, Simplex - NC	Any	2-Wire PUMP ¹	1-2	5-20A	230/240V	6 lbs.	\$1,100.00

¹NC model has no capacitors and no start relay. It is only suitable for 2-wire pumps with built-in capacitors.

Data subject to change. Refer to the user manual for capacitor kit information. Consult pump manufacturer for updated motor data and capacitor kit requirements.

ALARM SYSTEMS

**CSION® RF

PART #	DESCRIPTION	LIST PRICE
1069104	CSION® RF (includes CSION®, receiver module, and panel module)	\$589.16
1069100	CSION® RF, 4X (includes CSION®, receiver module, and panel module in NEMA 4X enclosure)	\$671.56
1069105	CSION® RF WiFi (includes CSION® WiFi, receiver module, and panel module)	\$818.85
1069101	CSION® RF WiFi, 4X (includes CSION® WiFi, receiver module, and panel module in NEMA 4X enclosure)	\$901.25

**CSION®

PART #	DESCRIPTION	LIST PRICE
1061879	CSION®, 120V, High with 10 ft. Control Duty Narrow Angle Low Current Mechanical Float	\$130.81
1061878	CSION®, 120V, No Float	\$106.09

**CSION® WiFi

PART #	DESCRIPTION	LIST PRICE
1061992	CSION® WiFi, 120V, High with 10 ft. Control Duty Narrow Angle Low Current Mechanical Float	\$455.26
1061991	CSION® WiFi, 120V, No Float	\$419.21
1070659	WS 360 Water Sensor (for use with CSION® WiFi)	\$72.10
1070875	WS 360A (for additional connections to WS 360)	\$56.65
1070876	20 ft. Cable (for use with WS 360)	\$27.30

**CS1200

PART #	DESCRIPTION	LIST PRICE
1023234	CS1200, NEMA 1 non-metallic indoor alarm with auto-reset battery backup feature. Includes a 15 ft. float switch and a 6 ft. power cord.	\$162.18
1031585	CS1200-AUX, includes auxiliary contacts (CSA certified only unit)	\$188.49
1035724	CS1200-NF, no float included	\$121.54

Note: Low level float and longer float lengths available.

**CS1000

PART #	DESCRIPTION	LIST PRICE
1023236	CS1000, NEMA 1 indoor alarm with manual reset feature. Includes a 15 ft. float switch and a 6 ft. power cord.	\$211.15
1035488	CS1000-NF, no float included	\$167.89
1051051	CS1000-SPKT, includes splice kit	\$222.48

Note: Low level float and longer float lengths available.

****California Prop 65 requires the following:**  **WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

ALARM SYSTEMS

**CSION® 3R - 120 VAC

WITHOUT POWER CORD		DESCRIPTION	WITH POWER CORD	
PART #	LIST PRICE		PART #	LIST PRICE
1072312	\$208.08	CSION 3R-01XY	1079330	\$249.26
1072313	\$261.62	CSION 3R-01HY, 15 ft. NA Control Switch	1079331	\$297.84
1072314	\$265.20	CSION 3R-01HY, 20 ft. NA Control Switch	1079332	\$306.94
1072315	\$277.44	CSION 3R-01HY, 30 ft. NA Control Switch	1079336	\$319.30
1072316	\$208.08	CSION 3R-01XR	1079340	\$246.84
1072317	\$259.08	CSION 3R-01HR, 15 ft. NA Control Switch	1079341	\$300.76
1072318	\$265.20	CSION 3R-01HR, 20 ft. NA Control Switch	1079343	\$303.96
1072319	\$277.44	CSION 3R-01HR, 30 ft. NA Control Switch	1079344	\$319.30
1072320	\$216.24	CSION 3R-01XYTB	1079347	\$257.50
1072321	\$267.24	CSION 3R-01HYTB, 15 ft. NA Control Switch	1079348	\$309.00
1072322	\$273.36	CSION 3R-01HYTB, 20 ft. NA Control Switch	1079349	\$315.18
1072323	\$285.60	CSION 3R-01HYTB, 30 ft. NA Control Switch	1079350	\$327.54
1072324	\$216.24	CSION 3R-01XRTB	1079351	\$257.50
1072326	\$267.24	CSION 3R-01HRTB, 15 ft. NA Control Switch	1079352	\$306.00
1072327	\$273.36	CSION 3R-01HRTB, 20 ft. NA Control Switch	1079317	\$315.18
1072328	\$285.60	CSION 3R-01HRTB, 30 ft. NA Control Switch	1079353	\$324.36
Option PC	6 ft. Power Cord with Two RCC8 1/2" Liquid Tight Connectors			\$39.14

H = High Level, X = No Float, Y = Yellow LED, R = Red LED, TB = Includes Terminal Block, NA = Narrow Angle

**CSION® 4X

PART #	DESCRIPTION	LIST PRICE
1077366	CSION 4X, 120 VAC, 15 ft. Control Duty Narrow Angle Control Switch	\$458.35
1077367	CSION 4X, 120 VAC, 20 ft. Control Duty Narrow Angle Control Switch	\$464.53
1077368	CSION 4X, 120 VAC, 30 ft. Control Duty Narrow Angle Control Switch	\$476.89
1077198	CSION 4X 120V HIGH NO FLOAT	\$406.85
Option H	Exchanges the cord grips and power cord for a 2" hub adapter mount over 2" electrical conduit	\$39.14

PUMP SWITCHES

**FLOAT SWITCHES

Due to the many variations of pump floats, please consult your local Representative or the factory for our full offering of floats.

**MEDIUM DUTY - WIDE ANGLE MECHANICAL PUMP SWITCHES				
PART #	DESCRIPTION	PART #	DESCRIPTION	LIST PRICE
1031516	15PSD1WP	1031517	15PSU1WP	\$99.26
1031518	15PSDWOP	1031519	15PSUWOP	\$87.69
1031520	20PSD1WP	1031521	20PSU1WP	\$104.65
1031522	20PSDWOP	1031523	20PSUWOP	\$92.81
1031524	30PSD1WP	1031525	30PSU1WP	\$115.54
1031526	30PSDWOP	1031527	30PSUWOP	\$103.95

PS = Pump Switch D = Pump Down U = Pump Up 1 = 125VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

MOUNTING CLAMP is standard. PACKAGING: Boxed - Standard. Additional configurations available. Please call for details.

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PUMP SWITCHES

**HEAVY DUTY - WIDE ANGLE MECHANICAL PUMP SWITCHES

PART #	DESCRIPTION	PART #	DESCRIPTION	LIST PRICE
1031534	15SPSD1WP	1031537	15PSPU1WP	\$131.84
1031535	15SPSD2WP	1031538	15PSPU2WP	\$135.15
1031536	15SPSDWOP	1031539	15PSPUWOP	\$120.36
1031540	20SPSD1WP	1031543	20PSPU1WP	\$137.19
1031541	20SPSD2WP	1031544	20PSPU2WP	\$140.51
1031542	20SPSDWOP	1031545	20PSPUWOP	\$125.97
1031546	30SPSD1WP	1031549	30PSPU1WP	\$149.43
1031547	30SPSD2WP	1031550	30PSPU2WP	\$154.24
1031548	30SPSDWOP	1031551	30PSPUWOP	\$137.96

PS = Pump Switch D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

MOUNTING CLAMP is standard. PACKAGING: Boxed - Standard. Additional configurations available. Please call for details.

**MEDIUM DUTY - WIDE ANGLE DUAL PUMP SWITCHES

PART #	DESCRIPTION	PART #	DESCRIPTION	LIST PRICE
1033129	15PSDFD1WP	1033133	15PSDFU1WP	\$210.50
1033130	15PSDFD2WP	1033134	15PSDFU2WP	\$216.19
1033131	15PSDFD1WOP	1033135	15PSDFU1WOP	\$198.12
1033132	15PSDFD2WOP	1033136	15PSDFU2WOP	\$202.42
1033137	20PSDFD1WP	1033141	20PSDFU1WP	\$218.32
1033138	20PSDFD2WP	1033142	20PSDFU2WP	\$223.93
1033139	20PSDFD1WOP	1033143	20PSDFU1WOP	\$205.94
1033140	20PSDFD2WOP	1033144	20PSDFU2WOP	\$210.03
1033145	30PSDFD1WP	1033149	30PSDFU1WP	\$235.06
1033146	30PSDFD2WP	1033150	30PSDFU2WP	\$238.37
1033147	30PSDFD1WOP	1033151	30PSDFU1WOP	\$222.82
1033148	30PSDFD2WOP	1033152	30PSDFU2WOP	\$226.78

PS = Pump Switch DF = Dual Float D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

MOUNTING CLAMP is standard. PACKAGING: Boxed - Standard. Additional configurations available. Please call for details.

**HIGH TEMPERATURE PUMP SWITCHES

PART #	DESCRIPTION	LIST PRICE
1046749	10 ft. HTM with plug, 120V	\$123.59
1046750	10 ft. HTM with plug, 230V	\$126.80
1046751	10 ft. HTM without plug	\$112.21
1046752	20 ft. HTM with plug, 120V	\$136.94
1046753	20 ft. HTM with plug, 230V	\$139.98
1046754	20 ft. HTM without plug	\$124.39

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL SWITCHES

**SPEED-E CONNECT™ 3-Port Float Switch Connection System

The Speed-E Connect™ 3-port system features a wiring manifold with quick release float switch ports that allows for easy maintenance and replacement of 1-3 floats. The single 6-conductor manifold cable features Red-Blue-Yellow wire pairs that match R-B-Y imprints on the manifold housing for easy wiring and float identification. A rubber boot is provided with each float switch for extra protection. Sealing plugs are available for unused ports. Rated for short term submersion in water.

**SPEED-E CONNECT™ 3-PORT MANIFOLD		
PART #	DESCRIPTION	LIST PRICE
1052769	SPEED-E CONNECT™, 3-Port, 25FT, W/BACKET	\$194.14
1052770	SPEED-E CONNECT™, 3-Port, 50FT, W/BACKET	\$247.64
1052771	SPEED-E CONNECT™, 3-Port, 100FT, W/BACKET	\$354.13

**SPEED-E CONNECT™ 4-Port Float Switch Connection System

The Speed-E Connect™ 4-port system features a wiring manifold with quick release float switch ports that allows for easy maintenance and replacement of 1-4 floats. The single 8-conductor manifold cable features Red-Blue-Yellow-White wire pairs that match colored caps on the manifold housing for easy wiring and float identification. A rubber boot is provided with each float switch for extra protection. Sealing plugs are available for unused ports. Rated for short term submersion in water.

**SPEED-E CONNECT™ 4-PORT MANIFOLD		
PART #	DESCRIPTION	LIST PRICE
1053981	SPEED-E CONNECT™, 4-Port, 25FT, W/BACKET	\$338.33
1053982	SPEED-E CONNECT™, 4-Port, 50FT, W/BACKET	\$357.63
1053983	SPEED-E CONNECT™, 4-Port, 100FT, W/BACKET	\$492.08

**SPEED-E CONNECT™ CONTROL SWITCHES - NARROW ANGLE				
NORMALLY OPEN		NORMALLY CLOSED		LIST PRICE
PART #	DESCRIPTION	PART #	DESCRIPTION	
1053341	5MAPNPCNOSC	1053346	5MAPNPCNCSC	\$64.27
1052773	10MAPNPCNOSC	1053348	10MAPNPCNCSC	\$68.97
1053344	20MAPNPCNOSC	1053350	20MAPNPCNCSC	\$78.66
1054154	5MAPNCWNOSC	1054155	5MAPNCWNCSC	\$77.30
1053836	10MAPNCWNOSC	1053837	10MAPNCWNCSC	\$82.02
1053564	20MAPNCWNOSC	1053561	20MAPNCWNCSC	\$91.69

**SPEED-E CONNECT™ CONTROL SWITCHES - WIDE ANGLE				
NORMALLY OPEN		NORMALLY CLOSED		LIST PRICE
PART #	DESCRIPTION	PART #	DESCRIPTION	
1053342	5MAPWPCNOSC	1053347	5MAPWPCNCSC	\$64.27
1053343	10MAPWPCNOSC	1053349	10MAPWPCNCSC	\$68.97
1053345	20MAPWPCNOSC	1053351	20MAPWPCNCSC	\$78.66
1054156	5MAPWCWNOSC	1054157	5MAPWCWNCSC	\$77.30
1054158	10MAPWCWNOSC	1054159	10MAPWCWNCSC	\$82.02
1054160	20MAPWCWNOSC	1054161	20MAPWCWNCSC	\$91.69

**SPEED-E CONNECT™ CONTROL DUTY EXTRA LARGE VERSIONS				
NORMALLY OPEN		NORMALLY CLOSED		LIST PRICE
PART #	DESCRIPTION	PART #	DESCRIPTION	
1059050	10MGMNOSC	1059051	10MGMNCSC	\$104.86
1059052	25MGMNOSC	1059053	25MGMNCSC	\$127.80
1059054	50MGMNOSC	1059055	50MGMNCSC	\$145.20

**SPEED-E CONNECT™ OPTIONS		
PART #	DESCRIPTION	LIST PRICE
1052772	SPEED-E CONNECT™ SEALING PLUG (INCLUDES RUBBER BOOT)	\$14.78

The Speed-E Connect™ 3-port and 4-port systems include: manifold and mounting bracket. Ordered separately: sealing plug with rubber boot and Speed-E Connect™ low current mechanically-activated float switches rated at 125 VAC, 0.160mA to 1A for low current applications.

N = Narrow Angle **W** = Wide Angle **PC** = Pipe Clamp **CW** = Cable Weight **NO** = Normally Open **NC** = Normally Closed **SC** = Speed-E Connect

NOTE: One sealing plug must be ordered for each unused port. Do not install manifold with open port(s).

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CONTROL SWITCHES

**CONTROL SWITCHES

Due to the many variations of control switches, please consult your local Representative or the factory for our full offering of floats.

**CONTROL DUTY - NARROW EXTRA LARGE MECHANICAL CONTROL SWITCHES

PART #	DESCRIPTION	LIST PRICE
1046504	MGM, 25 ft. bag	\$93.13
1046505	MGM, 50 ft. bag	\$118.36
1046506	MGM, 75 ft. bag	\$152.31
1046507	MGM, 100 ft. bag	\$187.82

Internally weighted. Can be wired to work in either pump down (normally open) or pump up (normally closed) applications.

PACKAGING: Bagged - Standard

**CONTROL DUTY - NARROW ANGLE MECHANICAL CONTROL SWITCHES

PART #	DESCRIPTION	PART #	DESCRIPTION	LIST PRICE
1031484	15CSPCNO	1031485	15CSPCNC	\$60.69
1031486	15CSWENO	1031487	15CSWENC	\$72.93
1031488	20CSPCNO	1031489	20CSPCNC	\$65.79
1031490	20CSWENO	1031491	20CSWENC	\$78.03
1031492	30CSPCNO	1031493	30CSPCNC	\$77.01
1031494	30CSWENO	1031495	30CSWENC	\$89.25

CS = Control Switch PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

PACKAGING: Bagged - Standard. Additional configurations available. Please call for details.

**CONTROL DUTY - NARROW ANGLE LOW CURRENT MECHANICAL CONTROL SWITCHES

PART #	DESCRIPTION	PART #	DESCRIPTION	LIST PRICE
1031500	15CSLCPCNO	1031501	15CSLCPCNC	\$64.15
1031502	15CSLCWENO	1031503	15CSLCWENC	\$75.82
1031504	20CSLCPCNO	1031505	20CSLCPCNC	\$68.72
1031506	20CSLCWENO	1031507	20CSLCWENC	\$80.45
1031508	30CSLCPCNO	1031509	30CSLCPCNC	\$79.44
1031510	30CSLCWENO	1031511	30CSLCWENC	\$90.48

CS = Control Switch LC = Low Current PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

PACKAGING: Bagged - Standard. Additional configurations available. Please call for details.

****California Prop 65 requires the following:**  **WARNING** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ACCESSORIES

**JUNCTION BOXES

PART #	DESCRIPTION	LIST PRICE
1067470	JB444 (No Connectors or Hub Installed)	\$82.40
1067471	JB444-1.5H-3R8 Simplex	\$146.26
1067472	JB444-1.5H-4R8 Simplex	\$158.62
1067473	JB664 (No Connectors or Hub Installed)	\$97.85
1067474	JB664-1.5H-4R8 Simplex (Small HP Pump)	\$173.04
1067475	JB664-2H-5R8 Duplex (Small HP Pump)	\$188.49
1067476	JB664-1.5H-3R8-1R12 Simplex (Large HP Pump)	\$181.28
1067477	JB664-2H-3R8-2R12 Duplex (Large HP Pump)	\$203.94
1067478	JB884 (No Connectors or Hub Installed)	\$174.07

CS4-20 TRANSMITTER

PART #	DESCRIPTION	LIST PRICE
1059780	CS4-20 100 inWC with 25 ft. Cable	\$415.00
1059781	CS4-20 100 inWC with 50 ft. Cable	\$475.00
1113653	CS4-20 100 inWC with 100 ft. Cable	\$595.00

**CONTROL PANEL ACCESSORIES

PART #	DESCRIPTION	LIST PRICE
1008517	2 inch Cord Seal (1-4 Cables)	\$51.54
1037126	2.5 inch Cord Seal (1-6 Cables)	\$70.44
1002574	1/2 inch Round Cable Connector (RCC-8)	\$11.58
1002575	3/4 inch Round Cable Connector (RCC-12)	\$19.01
1009868	1 inch Round Cable Connector (RCC-16)	\$23.99
1002576	1/2 inch Flat UF Cable Connector (UFCC-8)	\$28.04
1002577	3/4 inch Flat UF Cable Connector (UFCC-12)	\$32.00
1030564	.75 inch Hub Assembly	\$8.55
1009305	1 inch Hub Assembly	\$17.72
1008848	1.5 inch Hub Assembly	\$25.04
1008849	2 inch Hub Assembly	\$28.06
1037128	2.5 inch Hub Assembly	\$31.61
1038027	Panel Mounting Post	\$178.69
1038262	Riser Mounting Kit (2 inch)	\$71.74
1053756	Riser Mounting Kit (2.5 inch)	\$92.20
1038029	Installation Kit, Simplex	\$75.97
1038030	Installation Kit, Duplex	\$106.37
1039199	4-20mA Simulator	\$157.50

**California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ACCESSORIES

**SLX TRANSMITTER

PART #	DESCRIPTION	LIST PRICE
1108321	SLX, 8.3 ftWC, 25 ft. cable	\$684.95
1108322	SLX, 8.3 ftWC, 50 ft. cable	\$807.52
1108323	SLX, 8.3 ftWC, 100 ft. cable	\$1,017.64
1108333	SLX, 16.7 ftWC, 25 ft. cable	\$684.95
1108334	SLX, 16.7 ftWC, 50 ft. cable	\$807.52
1108336	SLX, 16.7 ftWC, 100 ft. cable	\$1,017.64
1108345	SLX, 33.4 ftWC, 25 ft. cable	\$684.95
1108346	SLX, 33.4 ftWC, 50 ft. cable	\$807.52
1108348	SLX, 33.4 ftWC, 100 ft. cable	\$1,017.64
1052813	6 Hook Bracket (optional)	\$184.74

**FLOAT ACCESSORIES

PART #	DESCRIPTION	LIST PRICE
1008569	18 & 16 Gauge Cable Clamp Assembly	\$8.54
1008574	14 Gauge Cable Clamp Assembly	\$8.54
1008575	12 Gauge Cable Clamp Assembly	\$8.54
1009432	4 Float Bracket with Mounting Device	\$95.08
1009433	4 Float Bracket without Mounting Device	\$83.17
1009434	6 Float Bracket with Mounting Device	\$134.35
1009435	6 Float Bracket without Mounting Device	\$118.00
1009436	Float Bracket Mounting Device	\$22.85
1028644	Iron Weight Assembly	\$13.66
1109826	Pipe Mounting Bracket	\$80.59
1002230	Cable Weight	\$15.01
1027830	304 Stainless Steel Float Bracket with 3 Black Cord Snubbers	\$66.37
1027647	304 Stainless Steel Float Bracket with 4 Black Cord Snubbers	\$80.42
1022846	Elapsed Time Meter with 120V Piggy-Back Plug	\$143.97
1032834	Elapsed Time Meter with 230V Piggy-Back Plug	\$309.14

**CONTROL DUTY - VERTICAL REED SWITCH

PART #	DESCRIPTION	LIST PRICE
1032426	15CSRS1	\$130.23

CS = Control Switch RS = Reed Switch 1 = 120VAC



CSI Controls®

Toll Free: 888-342-5753

Phone: 218-847-4617

www.csicontrols.com